



Pickup Tech Data - Quick Comparison Chart

DiMarzio® High Power Humbuckers								
PICKUP NAME	PART NO.	OUTPUT IN MILLIVOLTS	TONE GUIDE			DC RESISTANCE	WIRING	MAGNET
			TREBLE	MID-RANGE	BASS			
Super Distortion®	DP100	425	5.5	7.5	8	13.68K	4 Conductor	Ceramic
Dual Sound®	DP101	425	5.5	7.5	8	13.68K	4 Conductor	Ceramic
X2N®	DP102	510	6.5	6.5	5.5	15.8K	4 Conductor	Ceramic
Super 2™	DP104	425	8	6	4	8.7K	4 Conductor	Ceramic
Super 3™	DP152	435	5	8	6.5	25.8K	4 Conductor	Ceramic
Tone Zone®	DP155	375	5	8.5	8.5	17.31K	4 Conductor	Alnico 5
Evolution® Bridge	DP159	404	6.5	7	6	13.84K	4 Conductor	Ceramic
Steve's Special™	DP161	390	6.5	4.5	7.5	17.89K	4 Conductor	Ceramic
The Breed™ Bridge	DP166	356	5	9	8	17.07K	4 Conductor	Alnico 5
D Sonic™	DP207	390	5.5	6.5	6.5	11.96K	4 Conductor	Ceramic
Evo 2™ Bridge	DP215	375	6	7.5	6	12.81K	4 Conductor	Ceramic
D Activator™ Neck	DP219	385	8	5	4	7.22K	4 Conductor	Ceramic
D Activator™ Bridge	DP220	470	6.5	6	6	11.41K	4 Conductor	Ceramic

DiMarzio, Inc. • 1388 Richmond Terrace • PO Box 100387 • Staten Island, NY 10310

Customer Service: 718-981-9286 or 800-221-6468 • Fax: 718-720-5296

Tech Support: 718-816-8112 or 800-221-6468 • Email: tech@dimarzio.com



Pickup Tech Data - Quick Comparison Chart

DiMarzio® Medium Power Humbuckers

PICKUP NAME	PART NO.	OUTPUT IN MILLIVOLTS	TONE GUIDE			DC RESISTANCE	WIRING	MAGNET
			TREBLE	MID-RANGE	BASS			
PAF Pro®	DP151	300	6	5	5	8.4K	4 conductor	Alnico 5
FRED®	DP153	305	5.5	6	5	10.07K	4 conductor	Alnico 5
Evolution® Neck	DP158	294	6.5	6	6	13.04K	4 conductor	Ceramic
Norton®	DP160	352	5	7	6.5	12.58K	4 conductor	Alnico 5
Breed™ Neck	DP165	325	5	7.5	7.5	10.14K	4 conductor	Alnico 5
Air Zone®	DP192	323	5	8.5	8.5	17.49K	4 conductor	Alnico 5
Air Norton®	DP193	270	5	7	6.5	12.58K	4 conductor	Alnico 5
PAF Joe®	DP213	272	6.5	5	4.5	8.26K	4 conductor	Alnico 5
Mo' Joe™	DP216	320	5	5.5	5	9.76K	4 conductor	Alnico 5

DiMarzio, Inc. • 1388 Richmond Terrace • PO Box 100387 • Staten Island, NY 10310

Customer Service: 718-981-9286 or 800-221-6468 • Fax: 718-720-5296

Tech Support: 718-816-8112 or 800-221-6468 • Email: tech@dimarzio.com



Pickup Tech Data - Quick Comparison Chart

DiMarzio® Vintage Output Humbuckers

PICKUP NAME	PART NO.	OUTPUT IN MILLIVOLTS	TONE GUIDE			DC RESISTANCE	WIRING	MAGNET
			TREBLE	MID-RANGE	BASS			
PAF®	DP103	203	6.0	5.5	6.0	8.09K	4 conductor	Alnico 5
The Humbucker From Hell®	DP156	226	8.5	4.5	4.5	5.82K	4 conductor	Alnico 5
Bluesbucker®	DP163	265	6.0	5.5	4.5	9.85K	4 conductor	Ceramic
Air Classic™ Neck	DP190	206	5.5	4.5	5.5	8.34K	4 conductor	Alnico 5
Air Classic™ Bridge	DP191	226	5.5	4.5	6.0	8.62K	4 conductor	Alnico 5
PAF Classic™ Neck	DP194	200	5.5	5.0	5.5	8.55K	4 conductor	Alnico 5
PAF Classic™ Bridge	DP195	210	5.5	5.0	6.0	8.71K	4 conductor	Alnico 5
Virtual PAF™ Neck	DP196	210	5.5	6.0	5.5	7.96K	4 conductor	Alnico 5
Virtual PAF™ Bridge	DP197	230	5.0	6.0	6.0	8.32K	4 conductor	Alnico 5
EJ Custom™ Neck	DP211	178	9.0	4.5	5.0	7.01K	4 conductor	Alnico 5
EJ Custom™ Bridge	DP212	200	8.5	4.5	5.5	7.85K	4 conductor	Alnico 5
Virtual Hot PAF™	DP214	265	5.0	6.5	6.5	9.13K	4 conductor	Alnico 5

DiMarzio, Inc. • 1388 Richmond Terrace • PO Box 100387 • Staten Island, NY 10310

Customer Service: 718-981-9286 or 800-221-6468 • Fax: 718-720-5296

Tech Support: 718-816-8112 or 800-221-6468 • Email: tech@dimarzio.com



Pickup Tech Data - Quick Comparison Chart

DiMarzio® Humbucking Strat® Replacement Pickups

PICKUP NAME	PART NO.	OUTPUT IN MILLIVOLTS	TONE GUIDE			DC RESISTANCE	WIRING	MAGNET
			TREBBLE	MID-RANGE	BASS			
HS-2™	DP116	90	7.5	5.5	5	14.97K	4 Conductor	Alnico 5
HS-3™	DP117	93	6.5	6	6	23.72K	4 Conductor	Alnico 5
Air Norton S™	DP180	280	4.5	7	6.5	11.21K	4 Conductor	Ceramic
Fast Track 1™	DP181	191	7.5	5	5.5	5.72K	4 Conductor	Ceramic
Fast Track2™	DP182	321	5	8	7.5	17.53K	4 Conductor	Ceramic
Chopper™	DP184	260	7	6	6	9.19K	4 Conductor	Ceramic
Cruiser® Neck	DP186	140	8	4.5	5	3.13K	4 Conductor	Ceramic
Cruiser® Bridge	DP187	143	8	4.5	5.5	5.75K	4 Conductor	Ceramic
Pro Track™	DP188	275	5.5	6.5	6.5	8.15K	4 Conductor	Ceramic
Tone Zone S™	DP189	300	5	8.5	8	12.39K	4 Conductor	Ceramic
YJM™	DP217	93	7	6	6	23.5K	4 Conductor	Alnico 5
Super Distortion S™	DP218	325	5	7.5	8	13.18K	4 Conductor	Ceramic
Virtual Vintage® Blues	DP402	145	7.5	5.5	5.5	8.28K	4 Conductor	Alnico 5
Virtual Vintage® Solo	DP404	200	6.5	7.0	6.5	10.85K	4 Conductor	Alnico 5
Virtual Vintage® '54 Pro	DP408	140	8.0	5.5	5.5	7.50K	4 Conductor	Alnico 2

DiMarzio, Inc. • 1388 Richmond Terrace • PO Box 100387 • Staten Island, NY 10310

Customer Service: 718-981-9286 or 800-221-6468 • Fax: 718-720-5296

Tech Support: 718-816-8112 or 800-221-6468 • Email: tech@dimarzio.com



Pickup Tech Data - Quick Comparison Chart

DiMarzio® Humbucking Strat® Replacement Pickups								
PICKUP NAME	PART NO.	OUTPUT IN MILLIVOLTS	TONE GUIDE			DC RESISTANCE	WIRING	MAGNET
			TREBLE	MID-RANGE	BASS			
Virtual Vintage® Heavy Blues	DP409	170	7.5	6.5	6.0	8.60K	4 Conductor	Alnico 2
Virtual Vintage® 2.2	DP410	124	9.0	4.5	4.0	6.39K	4 Conductor	Alnico 2
Virtual Vintage® Solo Pro	DP414	176	6.0	7.5	6.5	10.72K	4 Conductor	Alnico 2
Area '58™	DP415	125	9	3.5	3.5	6.12K	4 Conductor	Alnico 2
Area '61™	DP416	142	8.5	4	4	6.47K	4 Conductor	Alnico 2

DiMarzio, Inc. • 1388 Richmond Terrace • PO Box 100387 • Staten Island, NY 10310

Customer Service: 718-981-9286 or 800-221-6468 • Fax: 718-720-5296

Tech Support: 718-816-8112 or 800-221-6468 • Email: tech@dimarzio.com



Pickup Tech Data - Quick Comparison Chart

DiMarzio® Single-Coil Strat® Replacement Pickups

PICKUP NAME	PART NO.	OUTPUT IN MILLIVOLTS	TONE GUIDE			DC RESISTANCE	WIRING	MAGNET
			TREBLE	MID-RANGE	BASS			
FS-1™	DP110	160	7	6.5	6	13.35K	2 Conductor	Alnico 5
SDS-1™	DP111	200	5.5	6	7	8.68K	2 Conductor	Ceramic
Class of '55™	DP119	110	9.5	4	3	5.75K	2 Conductor	Alnico 5
Blue Velvet™ Neck	DP170	120	9	4.5	3.5	6.08K	2 Conductor	Alnico 5
Blue Velvet™ Bridge	DP171	153	8.5	5	4	7.05K	2 Conductor	Alnico 5
Red Velvet™	DP174	180	8	5.5	5	8.1K	2 Conductor	Alnico 5

DiMarzio, Inc. • 1388 Richmond Terrace • PO Box 100387 • Staten Island, NY 10310

Customer Service: 718-981-9286 or 800-221-6468 • Fax: 718-720-5296

Tech Support: 718-816-8112 or 800-221-6468 • Email: tech@dimarzio.com



Pickup Tech Data - Quick Comparison Chart

DiMarzio® Hum-Canceling Tele® Replacement Pickups

PICKUP NAME	PART NO.	OUTPUT IN MILLIVOLTS	TONE GUIDE			DC RESISTANCE	WIRING	MAGNET
			TREBLE	MID-RANGE	BASS			
Super Distortion T™	DP318	325	5	7.5	8	13.18K	4 Conductor	Ceramic
Air Norton T™	DP380	280	4.5	7	6.5	11.21K	4 Conductor	Ceramic
Fast Track T™	DP381	191	7.5	5	5.5	5.72KK	4 Conductor	Ceramic
Chopper T™	DP384	260	7	6	6	9.19K	4 Conductor	Ceramic
Tone Zone T™	DP389	300	5	8.5	8	12.39K	4 Conductor	Ceramic
Virtual T™ Neck	DP411	98	7	6	5.5	8.08K	4 Conductor	Alnico 2
Virtual T™ Bridge	DP412	161	7.5	4.5	4.5	7.4K	4 Conductor	Alnico 2
Virtual Hot T™	DP413	230	7	5.5	7.5	9.34K	4 Conductor	Alnico 2
Area T™ Neck	DP417	95	7	5.5	6	8.4K	4 Conductor	Alnico 2
Area T™ Bridge	DP418	175	7.5	6.5	6	7.5	4 Conductor	Alnico 2

DiMarzio® Standard Tele® Replacement Pickups

PICKUP NAME	PART NO.	OUTPUT IN MILLIVOLTS	TONE GUIDE			DC RESISTANCE	WIRING	MAGNET
			TREBLE	MID-RANGE	BASS			
Pre B-1™	DP112	170	7	6	6	14.23K	2 Conductor	Alnico 5
Twang King™ Neck	DP172	89	7	7	5	6.22K	2 Conductor	Alnico 5
Twang King™ Bridge	DP173	198	8	4	4	8.07K	2 Conductor	Alnico 5

DiMarzio, Inc. • 1388 Richmond Terrace • PO Box 100387 • Staten Island, NY 10310

Customer Service: 718-981-9286 or 800-221-6468 • Fax: 718-720-5296

Tech Support: 718-816-8112 or 800-221-6468 • Email: tech@dimarzio.com



Pickup Tech Data - Quick Comparison Chart

DiMarzio® Mini-Humbuckers Pickups

PICKUP NAME	PART NO.	OUTPUT IN MILLIVOLTS	TONE GUIDE			DC RESISTANCE	WIRING	MAGNET
			TREBLE	MID-RANGE	BASS			
DiMarzio® Minibucker™	DP168	179	4.5	5	5	12.08K	4 Conductor	Ceramic
DiMarzio® Hot Minibucker	DP198	240	4	6	5.5	13.36K	4 Conductor	Ceramic

DiMarzio® Soapbar Pickups

PICKUP NAME	PART NO.	OUTPUT IN MILLIVOLTS	TONE GUIDE			DC RESISTANCE	WIRING	MAGNET
			TREBLE	MID-RANGE	BASS			
DLX Plus™ Bridge	DP154	400	6.5	4.5	7	17.28K	4 Conductor	Ceramic
DLX Plus™ Neck	DP162	380	6.5	5	6	13.8K	4 Conductor	Ceramic
DLX 90™	DP164	290	5.5	5.5	5.5	9.62K	4 Conductor	Ceramic
DiMarzio® Soapbar™	DP167	270	5.5	6	4.5	8.6K	4 Conductor	Ceramic
Virtual P90™	DP169	280	6	5.5	5	9.08K	4 Conductor	Ceramic
P90 Super Distortion™	DP209	400	5.5	7.5	8	12.82K	4 Conductor	Ceramic
Tone Zone P90™	DP210	385	5	8.5	8.5	16.77K	4 Conductor	Ceramic

DiMarzio, Inc. • 1388 Richmond Terrace • PO Box 100387 • Staten Island, NY 10310

Customer Service: 718-981-9286 or 800-221-6468 • Fax: 718-720-5296

Tech Support: 718-816-8112 or 800-221-6468 • Email: tech@dimarzio.com



Pickup Tech Data - Quick Comparison Chart

DiMarzio® 5-String Electric Bass Pickups

PICKUP NAME	PART NO.	OUTPUT IN MILLIVOLTS	TONE GUIDE			DC RESISTANCE	WIRING	MAGNET
			TREBLE	MID-RANGE	BASS			
Ultra Jazz 5™ Neck	DP547	230	7	5.5	7.5		2 Conductor	
Ultra Jazz 5™ Bridge	DP548	230	7	5.5	7.5		2 Conductor	
Ultra Jazz 5™ Set	DP549	230	7	5.5	7.5		2 Conductor	

DiMarzio® Standard Electric Bass Pickups

PICKUP NAME	PART NO.	OUTPUT IN MILLIVOLTS	TONE GUIDE			DC RESISTANCE	WIRING	MAGNET
			TREBLE	MID-RANGE	BASS			
Model One™	DP120	200	7	5	8	11.31K	4 Conductor	Ceramic
DiMarzio® Model P®	DP122	163	5	7	7	11.3K	4 Conductor	Ceramic
DiMarzio® Model J™	DP123	150	4	5	6	6.73K	4 Conductor	Ceramic
Split P™	DP127	250	6	5	8	19.16K	4 Conductor	Ceramic
Will Power™ Neck	DP145	200	7	5	7	12.5K	4 Conductor	Ceramic
Will Power™ Middle	DP146	175	5	8	8	11.45K	4 Conductor	Ceramic
Ultra Jazz™ Neck	DP147	250	6	5	7	12.3K	4 Conductor	Alnico 5 & Ceramic
Ultra Jazz™ Bridge	DP148	250	6	5	7	12.3K	4 Conductor	Alnico 5 & Ceramic
Ultra Jazz™ Pair	DP149	250	6	5	7	12.3K	4 Conductor	Alnico 5 & Ceramic

DiMarzio, Inc. • 1388 Richmond Terrace • PO Box 100387 • Staten Island, NY 10310

Customer Service: 718-981-9286 or 800-221-6468 • Fax: 718-720-5296

Tech Support: 718-816-8112 or 800-221-6468 • Email: tech@dimarzio.com



Pickup Tech Data - Quick Comparison Chart

DiMarzio® 7-String Pickups								
PICKUP NAME	PART NO.	OUTPUT IN MILLIVOLTS	TONE GUIDE			DC RESISTANCE	WIRING	MAGNET
			TREBBLE	MID-RANGE	BASS			
Blaze™ Neck	DP700	280	5.5	4.5	6.5	15.8K	4 Conductor	Ceramic
Blaze™ Middle	DP701	200	7	5	4.5	14.1K	2 Conductor	Ceramic
Blaze™ Bridge	DP702	380	6	4.5	7.5	20.75K	4 Conductor	Ceramic
Blaze™ Custom	DP703	410	6	7	7	16K	4 Conductor	Ceramic
Evolution 7™	DP704	420	6.5	7	6.5	14.09K	4 Conductor	Ceramic
X2N 7™	DP705	510	6	5.5	6	13.97K	4 Conductor	Ceramic
D Sonic 7™	DP706	390	5.5	6	6.5	12.03K	4 Conductor	Ceramic
D Activator 7™ Neck	DP719	380	8	5	4	7.10K	4 Conductor	Ceramic
D Activator 7™ Bridge	DP720	460	6.5	6	6	11.40K	4 Conductor	Ceramic
Tone Zone 7™	DP755	385	5	8.5	8	17.86K	4 Conductor	Ceramic
PAF 7™	DP759	220	5.5	4.5	6	8.14K	4 Conductor	Ceramic
Air Norton 7™	DP793	260	5	7	7	13.34K	4 Conductor	Ceramic

DiMarzio, Inc. • 1388 Richmond Terrace • PO Box 100387 • Staten Island, NY 10310

Customer Service: 718-981-9286 or 800-221-6468 • Fax: 718-720-5296

Tech Support: 718-816-8112 or 800-221-6468 • Email: tech@dimarzio.com