


**CAUTION:**  
 THIS SCHEMATIC IS PROVIDED FOR USE BY QUALIFIED PERSONNEL.  
 TO AVOID RISK OF ELECTRIC SHOCK, REFER SERVICING TO QUALIFIED  
 SERVICE PERSONNEL. DO NOT PERFORM ANY SERVICING BEYOND  
 THAT EXPLAINED IN THE OPERATING INSTRUCTIONS.



**NOTES**

- 1) CAUTION: SHOCK HAZARD!!  
 THIS UNIT CONTAINS HAZARDOUS VOLTAGE. DISCONNECT POWER  
 AND BE SURE POWER SUPPLY IS DISCHARGED BEFORE  
 TOUCHING INTERNAL PARTS.
- 2) UNLESS NOTED, RESISTOR VALUES IN OHMS, 1/4W-5% TOL.  
 CAPACITOR VALUES IN MICROFARADS, 50V-10% TOL.
- 3) VOLTAGES ARE MEASURED WITH 1 MEGOHM OSCILLOSCOPE  
 AND 10 MEGOHM DIGITAL VOLTMETER. VOLTAGES IN RECTANGLES ARE  
 RMS SIGNAL VOLTAGES WITH FULL POWER OUTPUT. OTHER VOLTAGES  
 ARE DC WITH NO SIGNAL.

REV	DATE	BY	CHK'D	DESCRIPTION
3	08/30/96	LMA		UPDATED REV TO REFLECT PIC CHANGE E960333
2	05/16/94	LMA		REV CHG TO REFLECT JUMPER CHG PER E150
1				

6				
5				
4	07/27/98	MAG		CHG'S TO PICTORIAL PER ECO 980466.

<b>SIGNATURES:</b>		<b>DATE:</b>		11880 BORMAN DR. ST. LOUIS, MISSOURI 63146	
DRAWN: SWR		03/02/93		PROJECT NAME: SVT-2 PRO	
CHK'D:				DRAWING NAME: TUBE Bd. SCHEMATIC	
APP'D:				REV. 4	
ORIGINAL ISSUED:				DRAWING NO. 07S419-41	
PLOT DATE: 08/14/98		PLOT TIME: 14:05:00		SCALE: 1:1	
FILE NAME: 41941h4_				SHEET: 1 OF 1	