


REV.	DESCRIPTION	DATE	APPROVED
A	PR #239	7-2-53	WD
B	LO 2732	11-4-53	BD

REV.	DESCRIPTION	DATE	APPROVED
A	PR #239	7-2-53	WD
B	LO 2732	11-4-53	BD

REVISIONS



NOTES: UNLESS OTHERWISE SPECIFIED  
 1. V1, 2, 4, 15 ARE 120V/0.7A 60 HZ CORONA FILM.  
 2. PART NUMBERS ARE FROM PART NUMBERS.  
 3. FUSE IS 20 FAST-ACTING IN 100-120V MODELS, 7.5A IN 220-240V MODELS.  
 4. U.L. LISTED 68888, C.S.A. LISTED 32280.  
 5. C93-S NOT INSTALLED IN 120V UNITS ONLY.  
 6. ALL VOLTAGES MEASURED WITH RESPECT TO COMMON GROUND USING A 1000 OHM IMPEDANCE.  
 7. VOLTAGES MAY VARY ±5% IN TEST CONDITIONS.  
 8. STAND-BY SWITCH IS ON.  
 9. REVERB AND VIBRATO SWITCHED OFF WITH FOOTSWITCH.  
 10. ALL OTHER PANEL CONTROLS AT 50% ROTATION.  
 11. BIRD SCHEMATIC FOR 2P AND 3P NO INPUT SIGNAL.  
 12. THIS SCHEMATIC MEASURED WITH AN OSCILLOSCOPE, WITH NO TONE ARM MEASURED WITH A 1000 OHM SINEWAVE INPUT.  
 13. ALL VOLTAGES MEASURED ONLY ON SINEWAVE INPUT.  
 14. ALL SINEWAVE INPUT TO VIBRATO CHANNEL ONLY.  
 15. AC VOLTAGES AT TP31 & TP32 MEASURED WITH AN OSCILLOSCOPE USING A X16 PROBE.  
 16. LAST INSTANCES C96, C92, C91, F1, F8, L1, L4, L1, C91, P59, R71, S9, SP2, T3, TH1, TP29, V9, X1, Y16

PROPERTY OF MUSICAL INSTRUMENTS  
 1130 Columbia Street  
 Sausalito, California 94965  
 TITLE: SCHEMATIC DIAGRAM  
 6S DELUXE REVERB AMPLIFIER  
 DRAWN BY: DESI  
 CHECKED BY: DESI  
 DATE: 11-4-53  
 CONTROL NO.: 041285  
 SHEET 1 OF 1