

LDPM12-2 Bill of Material		
Name of Material		Specification
Resistance	22 Ω	
	33 Ω	
	39 Ω	
	68 Ω	
	120 Ω	
	330 Ω	
	560 Ω	
	680 Ω	
	750 Ω	
	820 Ω	
	1K	
	1.2K	
	1.8K	
	2.2K	
	2.7K	
	3.3K	
	3.9K	
	4.7K	
	5.6K	
	6.8K	
	8.2K	
	10K	
	12K	
	15K	
	20K	
	22K	
	27K	
	33K	
	39K	
	47K	
	56K	
	68K	
	82K	
	91K	
	100K	
	120K	
	220K	
	330K	
	470K	
1/4W	2.2 Ω	
	10 Ω	
	15 Ω	
	27 Ω	
	100 Ω	
	220 Ω	
	620 Ω	
	1K	
	1.2K	
	1.5K	
	2K	
	3K	
	4.3K	

	10K	
	15K	
	22K	
	30K	
	33K	
	39K	
	100K	
	150K	
	5.1M	
1/2W	5.1 Ω	
	10 Ω	
	22 Ω	
	1K	
	10K	
	12K	
	20K	
	30K	
1W	1.5K	
	2K	
3W	0.47 Ω	
	5.1 Ω	
	1.5K	
	3.9K	
	10K	
5W	0.3 Ω	
	10 Ω	
inching resistance 1K		SC085-B-1K
inching resistance 20K		SC085-B-20K
Temperature-sensitive resistance		SCK205ROLSBY
Temperature-sensitive resistance		MF54C,R=10K \pm 5 %
	22P/100V	
	33P	
	100P	
	220P/100V	
	470P	
	680P/681P	
	CBB102P	
	152CBB	
	222CBB	
	272CBB	
	332CBB	
	472/63V	
	562CBB	
	103CBB	
	223CBB	
	333CBB	
	473/63V	
	823CBB	
	104/63	
	CBB104/100V	
	CBB104/250V	
	104/630V	
	154CBB	
	224CBB	
	334CBB	

474/63V	
CBB564	
Electrolytic capacitor 1UF/63V	
4.7UF/50V	5*11
10UF/25V	
10UF/50V	5*11
10UF/100V	6.3*11
22UF/63V	6.3*12
33UF/25V	NP
33UF/50V	6.3*12
47UF/25V	
47UF/63V	
100UF/6.3V	
100UF/25V	6.3*11
220UF/10V	
1000UF/50V	
2200UF/25V	
4700UF/25V	
12000UF/63V	35*50
FX module FX128	DSP20KEY-LCD
Reverberation screen	
Diode	1N4007
Zener Diodes	1N4148
	1N4733-5.1V
	1N4742-12V
	1N4745-16V
	1N4749-24V
Fast Recovery Diode	MUR1560 (RHR1560)
Controllable silicon	2N6027
	97A6
	BTA16-600B
	BTA26-600B
Triode	2N5551
	2N5401
	J112
	A970
	C2240
	2SD2241
	C1815
	A1013
	C2383
ST7805	ST7805
ST7812	ST7812
Triode	MJE340
Triode	MJE350
	TIP122
	TIP127
A1930	A1930
C5171	C5171
2SC5200	2SC5200
2SA1943	2SA1943
JRC072D	
JRC5532	IC
ST HCF4053	HFE4053
LM339N	

55℃ Switch	400mm
90℃ Switch	150mm
Radiator	23*16*25
	20*15*10
55℃ Switch fixed film	24*10*5
90℃ Switch fixed film	19*10*5
Mica film	13*18
Mica film	22*28
Potentiometer	R1131NOAHIA203-FH0003
	R1131GOAHIA203-FH0003
	R1131GOBHIB103-FH0131
	R1131GOBHIB203-FH0131
	R1131NOBHIB203-FH0131
	R1431GOAHIC204-FH0000
	R1131GOAHIC502-FH0
C1009INOAV3-A103-A80	(CA060NOCVIA103A80005)
C1009IGOAV3-A103-A80	(CA060GOCVIA103A80005)
	C4550G0AVI-B203-AA0-116
Relay	HRS1KH-S-24V (HK)
Light-emitting diode	LL-304VC2E-V1-2BC
	LL-533SD1A-1S
	LL-533GD1A-1A
	LL-304SD2C-1S
	LL-304GD2E-1A
	LL-304YD2E-2Y
	LL-552UD1E-V1-1A
	LL-304SD2Y-S-1A
Cap of button Switch	5*9*8
	5*7*10
A-26 Knob 90°	red
	blue
	gray
	green
	Vermilion
Fuse	1.5A5*20
Power Socket	R-30190
Socket	CK-6.35-36-6P
Reversible temperature-controlled	RF-112B 15A
Power switch	MR-4-220-CON-BB
Power Cord	3VTJ2/3GTJA.H05W-F3G1.5*1.5m16A250V
Fan	AD0612UX-A71GL
Socket	2510-3P
	2510-4P
	2510-5P
	2510-6P
	2510-7P
	2510-7AL
	VH3.96-4P
	VH3.96-5P
	VH3.96-8P
Shielding Cable	CS-01-3.96-8P-1015-18A-80mm
	CS-02-3.96-4P-1015-22A-70mm
	CS-03-2510-3P-400mm
	CS-04-2510-3P-300mm
	CS-05-2510-6P-300mm

	CS-07-2510-7P-120mm
	CS-07-2510-7P-200mm
PCB36*32.2	TL-PW-060420
PCB149*249	PM12-2-PA-060505L
PCB149*249	PM12-2-PA-060505R
PCB122*35	PM12-2-5JK-1220
PCB126*77	PM12-2-EQ9-060425
PCB126*77	PM12-2-SEQ-060425
PCB113*222	PM-12-2-CA-060427
PCB292*40	PM12-2-ST-050627
PCB297*50	PM12-2-AUX-050625
PCB297*50	PM12-2-MAIN-050807
PCB297*50	PM12-2-MON2-050703
PCB297*50	PM12-2-MON1-050808
PCB292*40	PM12-2-MIC-050705
PCB297*50	PM12-2-FX-050629
PCB73.5*28	PM12-2-LED-R-050705
Transformer	PM12-1-1200W-240V
Chassis	
Side-gray	plastic-left
Side-gray	plastic-right
Side-white	Aluminum-right&left
handle	
Screw	whitePM3*4
	whitePM3*6
	whitePM3*10
	whitePM3*12
	whitePM3*14
	whitePM4*20
	white4*12
	blackKM3*4
	blackKM3*6
	blackBM3*10
	blackM4*12
	blackBM3*6
	blackM4*14
	blackBM3*8
	whitePM5*8
	white PB3*8
	black PB3*8
	4*45
	whiteM3
Copper Cylinder	3*10
	3*11
uer's manual	
Inner packaging	
Foam	2#
Carton	580*272*642
WEEE	deutsch
www.adamhall.com	adamhall.com