



HINTS

- 1) CAUTION: SHOCK HAZARD !! THIS UNIT CONTAINS HAZARDOUS VOLTAGE. DISCONNECT POWER AND BE SURE POWER SUPPLY IS DISCHARGED BEFORE TOUCHING INTERNAL PARTS.
- 2) UNLESS NOTED, RESISTOR VALUES IN OHMS, 1/4W-5% TOL. CAPACITOR VALUES IN MICROFARADS, 50V-10% TOL.
- 3) VOLTAGES ARE MEASURED WITH 1 MEGOHM OSCILLOSCOPE AND 10 MEGOHM DIGITAL VOLTMETER.
- 4) CIRCUIT GROUND ↗ SWITCH GROUND ↘ CHASSIS GROUND ↕

CAUTION:

THIS SCHEMATIC IS PROVIDED FOR USE BY QUALIFIED PERSONNEL. TO AVOID RISK OF ELECTRIC SHOCK, REFER SERVICING TO QUALIFIED SERVICE PERSONNEL. DO NOT PERFORM ANY SERVICING BEYOND THAT EXPLAINED IN THE OPERATING INSTRUCTIONS.

PART	DESC.	PART NO.
DL-2	IN914	21A914-01
IC1	5532	37-532-01
J1	STEREO JACK	39-120-01
J2-5	JACK	39-119-01
J6-8	.250 FASTON	17-836-01
J9, J17	GROUND LUG	17-500-01
J15	9 PIN	17-456-09
J16	2 PIN	17-456-02
S1	DPDT STACKED	88-303-01

SIGNATURES:	DATE:	 THESE BOARDS BY ST. LOUIS, MISSOURI 63148
DRAWN: S.R.	7-20-91	
CHECKED: L. JACKSON	05/09/91	PROJECT NAME: VL-1001/1002
APPROVED: L. JACKSON	05/09/91	DRAWING NAME: OUTPUT BD. SCHEMATIC
ORIGINAL ISSUED:	05/09/91	DRAWING NO.: 075492-01/02
PLOI DATE:	05/09/91	SCALE: NONE
PLOI TIME:	15:32:10	SHEET: 1 of 1
FILE NAME:	07549201	