


- NOTES**
- 1) CAUTION: SHOCK HAZARD!! THIS UNIT CONTAINS HAZARDOUS VOLTAGE. DISCONNECT POWER AND BE SURE POWER SUPPLY IS DISCHARGED BEFORE TOUCHING INTERNAL PARTS.
 - 2) UNLESS NOTED, RESISTOR VALUES IN OHMS, 1/4W-5% TOL. CAPACITOR VALUES IN MICROFARADS, 50V-10% TOL.
 - 3) VOLTAGES ARE MEASURED WITH 1 MEGOHM OSCILLOSCOPE AND 10 MEGOHM DIGITAL VOLTMETER.
 - 4) VOLTAGES IN RECTANGLES ARE RMS SIGNAL VOLTAGES. OTHER VOLTAGES ARE D.C. IN CONDITIONS STATED.
 - 5) CIRCUIT GROUND ⏏ DIRTY GROUND ⏏ CHASSIS GROUND ⏏

REV	DATE	BY	CHK'D	DESCRIPTION
3	06/18/94	LMA		REV CHG TO REFLECT JUMPER CHG PER E150
2				
1				

SIGNATURES:		DATE:	 11660 BORMAN DR. ST. LOUIS, MISSOURI 63146
DRAWN: ERW		3/30/93	
CHK'D:		PROJECT NAME:	
APP'D:		SVT-2 PRO	
ORIGINAL ISSUED:		DRAWING NAME:	
PLOT DATE:		PRE AMP SCHEMATIC	
PLOT TIME:		05/18/94	DRAWING NO. 07S519-03
FILE NAME:		51903H3Z	REV: 3
SCALE: 1:1		SHEET: 1 OF 1	



SVT-2PRO

©2007 LOUD Technologies Inc. All rights reserved

Preamp PCB Schematics

PAGE 1