



CAUTION:  
THIS SCHEMATIC IS PROVIDED FOR USE BY QUALIFIED PERSONNEL.  
TO AVOID RISK OF ELECTRIC SHOCK, REFER SERVICING TO QUALIFIED  
SERVICE PERSONNEL. DO NOT PERFORM ANY SERVICING BEYOND  
THAT EXPLAINED IN THE OPERATING INSTRUCTIONS.

NOTES

- 1) CAUTION - SHOCK HAZARD!!
- THIS UNIT CONTAINS HAZARDOUS VOLTAGE. DISCONNECT POWER  
AND OR 30MIN. POWER SUPPLY IS DISCHARGED BEFORE  
TOUCHING INTERNAL PARTS.
- 2) UNLESS NOTED, RESISTOR VALUES IN OHMS, 1/4W-5% TOL.  
CAPACITOR VALUES IN MICROFARADS, 50V-10% TOL.
- 3) VOLTAGES ARE MEASURED WITH 1 MEGOHM OSCILLOSCOPE  
AND 10 MEGOHM DIGITAL VOLTMETER.
- 4) CIRCUIT GROUND  $\text{///}$  SWITCH GROUND  $\text{+}$  CHASSIS GROUND  $\text{+}$

|                  |         |             |  |
|------------------|---------|-------------|--|
| SIGNATURES:      |         | DATE:       | TS80 BORMAN DR.<br>BY: LISA BORMAN<br>8348 |
| DRAWN:           | ML      | 2-1-91      |  |
| CHK'D:           |         |             | PROJECT NAME:                              |
| APP'D:           |         |             | SVI-II/300 AC TERM.                        |
| ORIGINAL ISSUED: |         |             | DRAWING NAME:                              |
| PLOT DATE:       |         | 02/11/91    | SCHEMATIC                                  |
| PLOT TIME:       |         | 09:10:06    | DRAWING NO. 10-319-02                      |
| FILE NAME:       | 1631902 | SCALE: NONE | SHEET: 1 of 1                              |