







REV	Eng	Date:	Revision Description	ECN#
A				
B				
C				
D				
E	RVS	01/14/15	IMPROVEMENT TO LOOP SWITCHING & TSI RESISTORS	0023674
F				

[illegible]

Note: All thru hole Resistors are 1/4 Watt unless otherwise indicated.  
All SMT 1206 Resistors are 1/4 Watt.  
All SMT 0805 Resistors are 1/10 Watt.  
Note Capacitor Values are indicated as Follows:  
val P = pF (picoFarads) val \* 10 exp-12  
val N = nF (nanoFarads) val \* 10 exp-9 (1N=1000pF, 100N=0.1uF)  
val U = uF (microFarads) val \* 10 exp-6



\*Company Proprietary Information\*



Product:


Title: **VALVEKING2-100E**

Project Number:			
Eng: PJS		Release Date:	
D	Sheet 1 of 2		Saved: 1-14-2015_19:0

**Patents:**

Copyright Peavey Electronics Corporation 2014

CONFIDENTIAL



**PEAVEY**  
Peavey Electronics Corp.  
5022 Hartley Peavey Drive  
Meridian, MS 39305

Title: **VALVEKING2-100E**  
Sheet Title:

D Sheet 2 of 2 Date: 1-14-2015 19:01

CONFIDENTIAL