



TEST POINT CONDITIONS:
 INPUT SIGNAL: CLEAN SINE WAVE.
 OUTPUT SIGNAL: CLEAN SINE WAVE.
 PRE-POST OUT: 10V

15K 5% PWR WIPER 4-B HEADER
 NOT USED FOOTSWITCH
 MUTE FOOTSWITCH

OPTIONAL
 R75, R76 & D31
 ONLY VERSION
 DO NOT INSTALL

CAUTION: SHOCK HAZARD!
 THIS UNIT CONTAINS CAPACITORS WHICH STORE VOLTAGE DISCONNECT POWER TO THEM BEFORE TOUCHING INTERNAL PARTS.
 2) VOLTAGE VALUES IN WORKING MODE: 0V, 15V, 100V, 100% TOL.
 3) VOLTAGES ARE MEASURED WITH I.M.E.COMM OSCILLOSCOPE AND 10 MEGOHM DIGITAL METER.

REV	DATE	DESCRIPTION	ENGR (E/No)	CHKD BY	APPRD BY	DATE
A	11/17/04	INITIAL				

THE INFORMATION CONTAINED HEREIN IS UNCLASSIFIED EXCEPT WHERE SHOWN OTHERWISE

Drawn: REM Date: 8/27/04
 Checked: Date: 8/27/04
 Released: Date: 8/27/04

Part Name: PWR AMP
 Drawing No: SCHEMATIC - PWR AMP
 Drawing Title: SCHEMATIC - PWR AMP
 Drawing Date: 11/17/04
 Drawing Scale: C
 Class Code: NONE
 Sheet 1 of 2
 Drawing Number: 07S699

ASSY P/N 07-699-01

100 Continental St. Louis, MO 63146
 First Used On: