




NOTE 1 C2 - C7 ARE 6,800uF/90V ON MODEL FA1201
C2 - C5 ARE 7,300uF/80V ON MODEL FA901. C6, C7 ARE NOT USED
C2 & C4 ARE 10,000uF/67V ON MODEL FA601. C3, C5, C6, C7 ARE NOT USED

NOTE 2 R7 & R8 ARE 1K/1% ON MODELS FA901 & FA1201, AND 750/1% ON MODEL FA601





CREST AUDIO INC.		
150 FLORENCE AVE. HAWTHORNE, NJ 07506		
Title FA601/901/1201 DISPLAY		
Size A	Document Number 21A1003	Rev
Date: Thursday, May 18, 2000	Sheet 0	of 0



REV NOTES 5/25/93
(1) ADDED J19 GROUND
(2) MOVED MODE SWITCH TO PRE OCTALS
(3) CHANGED ALL 24V'S TO 22V
REV NOTES 5/28/93
(1) CHANGED C13,C14 NET FROM -22V TO -16V NET
(2) DELETED CHIP CHA & B
(3) DELETED GROUND ON PIN 13 OF J2 AND CHANGED TO A 12 P-IN CONNECTOR
(4) TIED J3 PIN 2 TO GND PLANE

REV NOTES 6/2/93
(1) CHANGED CONNECTIONS ON J2 & J5
(2) REMOVED J10,J11,J13,J15,J16,J17,J18,J19
ADDED J24 & J25 IN THEIR PLACE
(3) RE-ANOTATED REFERENCE DESIGNATIONS

REV NOTES 10/20/93
(1) SWAPPED AND CORRECTED IC4A INPUT
(2) DELETED R32, R33

REV NOTES 10/25/93
(1) CORRECTED POLARITY J5-2 & J5-3